Google

Advanced Search Preferences Language Tools Search Tips

curl a gentle slope language for t Google Search

The following words are very common and were not included in your search: a for the. [details]

Web · Images · Groups · Directory · News ·

Searched the web for curl a gentle slope language for the web. Results 1 - 10 of about 782. Search took 0.13 s

Software Development Online: The **Gentle-Slope Language**
The **Gentle-Slope Language** February 2002 While **Curl** combines the simplicity of HTML formatting, the scripting ... and third-generation tools to build **Web** pages with ...
www.sdmagazine.com/documents/sdm0202c/ - Similar pages

Scripting Languages: Automating the **Web**
... Scripting the **Web** with Python Guido van Rossum. **Curl**: A **Gentle Slope Language** for the **Web** M. Hostetter, D. Kranz, C. Seed, C. Terman, S. Ward. ...
www.w3j.com/6/ - 4k - Cached - Similar pages

World Wide **Web** Journal, Spring 1997
... **Curl** is intended to be a **gentle slope** system, accessible to ... By using a simple, uniform **language** syntax and semantics, **Curl** avoids the discontinuities ...
www.w3j.com/6/s3.kranz.html - 46k - Cached - Similar pages
[More results from www.w3j.com]

[PPT] SNI Talk 9/96
File Format: Microsoft Powerpoint 97 - View as HTML
... Sophistication. Function. **CURL**: A **Gentle-Slope Language** for the **Web** Evolutionary path for accessible tools. Steve Ward & David Kranz. MIT Lab for Computer Science. ...
www.cag.lcs.mit.edu/curl/curl/present/slides.ppt - Similar pages

<html> <head> </head><body><pre>{bold **Curl**} is a new **language** for ...
... } **Curl** is intended to be a {italic **gentle slope** system}, accessible to content ... By using a simple, uniform **language** syntax and semantics, **Curl** avoids the ...
www.cag.lcs.mit.edu/curl/curl/docs/philosophy.curl - 3k - Cached - Similar pages
[More results from www.cag.lcs.mit.edu]

oreilly.com -- Online Catalog: Scripting Languages: Automating ...
... Paul Lomax JavaScript: When HTML Is Not Enough Nick Heinle Scripting the **Web** with Python Guido van Rossum **Curl**: A **Gentle Slope Language** for the **Web** M. Hostetter ...
www.oreilly.com/catalog/wj6/toc.html - 23k - Cached - Similar pages

Amazon.com: Table of Contents: Scripting Languages: Automating ...
... LOMAX JavaScript: When HTML Is Not Enough NICK HEINLE Scripting the **Web** with Python GUIDO VAN ROSSUM **Curl**: A **Gentle Slope Language** for the **Web** M. HOSTETTER D ...
www.amazon.com/exec/obidos/tg/detail/-/ 1565922654?v=glance&vi=contents - 42k - Cached - Similar pages

Body
... aspects of **Curl** is something that **Curl** Corporation calls the "**Gentle Slope**". ... Here are three short examples of **Curl** that show how the **language** looks at html ...
www.curlbreaker.com/mk3/articles/ teaching-with-curl/teach.php - 28k - Cached - Similar pages

Display of Biography
... M. Hostetter, D. Kranz, C. Seed, C. Terman, S. Ward. **Curl**: A **Gentle Slope Language** for the **Web**. MIT Laboratory for Computer Science. ...
www.lcs.mit.edu/people/bioprint.php3?PeopleID=475 - 8k - Cached - Similar pages

L Number	Hits	Search Text	DB	Time stamp
-	1	US20020112098A1	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 14:40
-	1	("6,433,780").PN.	USPAT	2003/11/04 17:41
-	168697	binding	USPAT	2003/11/04 17:41
-	0	Java same class same option same memory same pre-allocat$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 14:42
-	0	Java and class same option same memory same pre-allocat$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 14:42
-	0	Java and class same option and (memory same pre-allocat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 14:42
-	0	Java and class and option same (memory same pre-allocat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 14:42
-	9076	Java and class	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 14:43
-	19	option same (memory same pre-allocat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 15:49
-	0	option same (memory same pre-allocat$3) and Java	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 15:49
-	1	option same (memory same pre-allocat$3) same class	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 15:50
-	11	option same (memory same pre-allocat$3) and class	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 15:53
-	1	(option near4 data) same (memory same pre-allocat$3) and compil$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 15:54
-	1	(option near4 data) same (pre-allocat$3) and compil$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 15:54
-	10	(option near4 data) and (pre-allocat$3) and compil$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 15:54
-	7	(option near4 data) and (pre-allocat$3) and compil$3 and class	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 15:55
-	5	(option near4 data) and (pre-allocat$3) and compil$3 and class and Java	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 15:57
-	0	(option adj data) and (pre-allocat$3) and compil$3 and memory and class and Java	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 15:57

-	1	(option adj data) and (pre-allocat$3) and compil$3 and memory	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 15:58
-	0	(option adj data) and (pre-allocat$3) and compil$3 and (obkect adj oriented)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 15:58
-	0	(option adj data) and (pre-allocat$3) and compil$3 and (object adj oriented)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 16:00
-	0	(option adj data) and (pre-allocat$3) and compil$3 and binding	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 16:00
-	0	(option adj data) and (pre-allocat$3) and compil$3 and bind$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 16:00
-	35	(option) and (pre-allocat$3) and compil$3 and bind$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 16:00
-	34	(option) and (pre-allocat$3) and compil$3 and bind$3 and (class or object)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 16:01
-	34	(option) and (pre-allocat$3) and compil$3 and bind$3 and (class or object) and compil$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 16:01
-	4	(option) and (pre-allocat$3) and compil$3 and bind$3 and (class or object) and compil$5 and Java	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 16:02
-	34	(option) and (pre-allocat$3) and compil$3 and bind$3 and (class or object) and compil$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 16:02
-	34	(option) and (pre-allocat$3) and compil$3 and bind$3 and (class or object) and compil$5 and pre-alloca$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 16:02
-	16	(option) and (pre-allocat$3) and compil$3 and bind$3 and (class or object) and compil$5 and (pre-alloca$5 same memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 16:03
-	16	(option) and (pre-allocat$3) and compil$3 and bind$3 and (class or object) and compil$5 and (pre-alloca$5 same memory) and map$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 16:11
-	0	717/148.ccls	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 16:11
-	118	717/148.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 16:11
-	3	717/148.ccls. and (option near4 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 17:34
-	5	("5815718" | "5937193" | "6055526" | "6092120" | "6139199").PN.	USPAT	2003/11/05 16:12
-	6	717/148.ccls. and binding	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 17:39

-	8	717/148.ccls. and (binding or mapping) same data	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 17:40
-	4	717/148.ccls. and (binding or mapping) same data and option	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/05 17:55
-	13	("5129083" | "5313636" | "5410702" | "5421016" | "5432936" | "5481718" | "5493680" | "5659751" | "5675801" | "5692195" | "5732263" | "5737605" | "5778227").PN.	USPAT	2003/11/05 17:42
-	7	object same ((data adj structure) near5 option) same (pre-allocat$3 or preallocat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 10:16
-	6	(object adj oriented) and ((data adj structure) near5 option) same (pre-allocat$3 or preallocat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 11:09
-	6	(object adj oriented) and ((data adj structure) near5 option) and (pre-allocat$3 or preallocat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 11:09
-	26	(object adj oriented) and ((data adj structure) same option) and (pre-allocat$3 or preallocat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 11:12
-	72	(object adj oriented) and ((pre-allocat$3 or preallocat$3) same memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 11:12
-	64	(object adj oriented) and ((pre-allocat$3 or preallocat$3) same memory) and (data adj structure)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 11:13
-	64	(object adj oriented) and ((pre-allocat$3 or preallocat$3) same memory) and (data adj structure) and without	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 17:37
-	1	("6356279").PN.	USPAT	2003/11/06 16:07
-	8	("4799172" | "5208906" | "5649216" | "5721848" | "5796401" | "6057842" | "6125385" | "6181838").PN.	USPAT	2003/11/06 17:32
-	6	(object adj oriented) and (without with (pre-allocat$3 or preallocat$3) same memory) and (data adj structure)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/06 17:37
-	1	(object adj oriented) and (without with (pre-allocat$3 or preallocat$3) same memory) and (data adj structure)	USPAT; EPO; JPO; DERWENT	2003/11/06 17:38
-	0	(object adj oriented) and (without with (pre-allocat$3 or preallocat$3) same memory) and (data adj structure)	USPAT; EPO; JPO	2003/11/06 17:38
-	5	(without with (pre-allocat$3 or preallocat$3) same memory)	USPAT	2003/11/06 17:38
-	6	(without with (pre-allocat$3 or preallocat$3) same memory)	USPAT; EPO; JPO	2003/11/06 17:42
-	1044	without with allocat$3 same memory	USPAT; EPO; JPO	2003/11/06 17:42
-	186	without with allocat$3 same memory and option	USPAT; EPO; JPO	2003/11/06 17:43
-	19	without with allocat$3 same memory and option and binding	USPAT; EPO; JPO	2003/11/06 17:43
-	0	option adj data adj struction	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/07 09:57

-	60	option adj data adj structure	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/07 10:32
-	13	(option adj data adj structure) same (referenc$3 or link$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/07 10:06
-	59	(option adj data adj structure) and (referenc$3 or link$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/07 10:31
-	59	(option adj data adj structure) and (referenc$3 or link$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/07 10:32
-	42	option adj data adj structure	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/07 10:32
-	41	(option adj data adj structure) and (referenc$3 or link$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/07 10:33
-	6956	(object or class) same option	USPAT; US-PGPUB	2003/11/07 10:34
-	27	(object or class) same (option adj data)	USPAT; US-PGPUB	2003/11/07 10:51
-	30	(object or class) same ((data adj structure) with option)	USPAT; US-PGPUB	2003/11/07 11:21
-	9	(option adj value) same (pre-allocation or preallocation or allocation)	USPAT; US-PGPUB	2003/11/07 11:22
-	9	(option adj value) same (pre-allocation or preallocation or allocation)	USPAT; US-PGPUB	2003/11/07 11:23
-	4	culr	USPAT; US-PGPUB	2003/11/07 12:18
-	266940	register	USPAT; US-PGPUB	2003/11/07 12:19
-	961	registor	USPAT; US-PGPUB	2003/11/07 12:19
-	72	registor and option	USPAT; US-PGPUB	2003/11/07 12:19
-	0	registor and option and link and preallocation	USPAT; US-PGPUB	2003/11/07 12:19
-	0	registor and option and link and pre-allocat$3	USPAT; US-PGPUB	2003/11/07 12:19
-	28	registor and option and link	USPAT; US-PGPUB	2003/11/07 12:50
-	16507	register and option and link	USPAT; US-PGPUB	2003/11/07 12:53
-	31	register and option and memory and preallocation	USPAT; US-PGPUB	2003/11/07 12:53
-	6	(object or class) same (option adj data adj structure)	USPAT; US-PGPUB	2003/11/07 15:19
-	67	"local option"	USPAT; US-PGPUB; EPO	2003/11/07 15:21
-	0	"local option"12 and "option data"	USPAT; US-PGPUB; EPO	2003/11/07 15:21
-	1062	"option data"	USPAT; US-PGPUB; EPO	2003/11/07 15:21
-	6	"local option" and "option data"	USPAT; US-PGPUB; EPO	2003/11/07 15:23
-	144	(default! near2 (value or values)) and "option data"	USPAT; US-PGPUB; EPO	2003/11/07 15:24
-	81	(default! near2 (value or values)) and "option data"	USPAT; US-PGPUB; EPO	2003/11/07 15:24

-	81	(default! near2 (value! or values!)) and "option data"	USPAT; US-PGPUB; EPO	2003/11/07 15:26
-	16	"5732271"	USPAT; US-PGPUB; EPO	2003/11/07 15:26